

Lecture Notes for  
**Managing and Mining Multiplayer Online Games**  
Summer Semester 2017

# Chapter 9: Collaborative and Antagonistic Behavior

Lecture Notes © 2012 Matthias Schubert

[http://www.dbs.ifi.lmu.de/cms/VO\\_Managing\\_Massive\\_Multiplayer\\_Online\\_Games](http://www.dbs.ifi.lmu.de/cms/VO_Managing_Massive_Multiplayer_Online_Games)

# Chapter Overview

---

- Calculating play level from win statistics
- ELO-Ranking
- True Skill and the Microsoft-Model
- Team Skill: Taking team chemistry into account
- Outlook on network analysis in games

# Models for play level

**Idea:** Skill level can be deduced from past victories and defeats.

**Model:** Every player  $i$  has a skill level  $s_i$ .  
If  $s_i > s_j$  then  $s_i$  is very likely to win in a competition.

**Use:**

- **matchmaking:** Choosing interesting opponents with comparable skill level.
- **ladders/rankings:** Creating public rankings as an expression of prestige. (compare Tennis, SC2, WOW-Arena, Halo2, ...)
- **organizing tournaments:** Assistance for draw, qualification, clearing disputes.

LEAGUES & LADDERS

SEASON 2 - 1v1 GRANDMASTER

BONUS POOL 0

RANK	NAME	POINTS	WINS	LOSSES
1	slimvArA	371	30	3
2	lucasea	317	34	17
3	MasJedTo	313	32	20
4	nJaniMcDiet	313	35	21
5	TASanchez	311	73	21
6	mOxGluDe	306	17	1
7	NeofreakAnon	300	9	9
8	eF0rger	299	32	17
9	REGinulle	297	40	18
10	Wesley	297	51	48
11	nGawWid	294	24	27
12	YoonVJ	292	30	17
13	NEOnky	292	33	20
14	est	291	32	48
15	Pakman	287	40	38

#	Spieler	Punkte	Win%	Leave%	Total	W-D-L (Leaves)
1.	ku5h	440 VS	74%	0.0%	34	25 - 0 - 9 (0)
2.	KevKev	367 VS	53%	0.0%	43	23 - 2 - 18 (0)
3.	GAMEBUG	343 VS	63%	0.0%	24	15 - 4 - 5 (0)
4.	Scasyy	342 VS	54%	0.0%	39	21 - 1 - 17 (0)
5.	FATAL	337 VS	63%	0.0%	30	19 - 1 - 10 (0)
12.	bueli	278 VS	65%	0.0%	23	15 - 0 - 8 (0)
20.	powerhead	244 VS	56%	0.0%	34	19 - 1 - 14 (0)
12.	bueli	278 VS	65%	0.0%	23	15 - 0 - 8 (0)
41.	random	216 VS	63%	0.0%	16	10 - 1 - 5 (0)
48.	afr0	205 VS	59%	0.0%	29	17 - 0 - 12 (0)

Letzte Aktualisierung 02 Jul 2008

Nächste Veröffentlichung 06 Aug 2008

Rang	Team	P Jul 08	+/- Rang Jun 08	+/- P Jun 08
1	Spanien	1557	3 ▲	254
2	Italien	1404	1 ▲	-20
3	Deutschland	1364	2 ▲	90
4	Brasilien	1344	-2 ▼	-169
5	Niederlande	1299	5 ▲	188
6	Argentinien	1298	-5 ▼	-261
7	Kroatien	1282	8 ▲	265
8	Tschechische Republik	1146	-2 ▼	-100
9	Portugal	1104	2 ▲	10
10	Frankreich	1053	-3 ▼	-90

# The ELO System

Introduced by Arpad Elo in 1970 and adopted by the *World Chess Federation*.



**Assumption:** player  $i$ 's performance  $p_i$  is normal distributed around his skill level with variance  $\beta^2$ .  $s_i: p_i \sim N(s_i, \beta^2)$

$\Rightarrow s_i > s_j$  does not necessarily mean  $i$  is losing against  $j$

**rather:**  $Pr(i \text{ wins against } j) > 50\%$

**task:** compute  $Pr(p_i > p_j \mid s_i, s_j)$  (probability of  $i$  playing better than  $j$ )

$\Rightarrow$  Difference of 2 normal distributed variables with the same variance  $\beta^2$  is normal distributed with an anticipated value of  $s_i - s_j$  and variance  $2\beta^2$



Difference distribution of  $p_i$  and  $p_j$

Let  $\Phi$  be the accumulated density function of a normal distribution with anticipated value of 0 and a variance of 1, then follows:

$$P(p_1 > p_2 \mid s_1, s_2) = \Phi\left(\frac{s_1 - s_2}{\sqrt{2}\beta}\right)$$

# Updating the ELO Ranking

---

- positions have to be adjusted as soon as new results are available.
- changes follow the zero-sum principle.  $s_1^{new} + s_2^{new} = s_1 + s_2$
- difference  $\Delta$  is supposed to increase the likelihood of the observation within the model.
- match result:  $y \in \{0, -1, 1\}$  (Win:1, Loss:-1, Draw:0)
- updating ELO Scores with the result  $y_l$ : 
$$\Delta = \alpha\beta\sqrt{\pi}\left(\frac{y_l + 1}{2} - \Phi\left(\frac{s_1 - s_2}{\sqrt{2}\beta}\right)\right)$$

$\alpha$  : weighing factor for a match  $0 < \alpha < 1$  (approx. 0.07 for chess)

- ELO Scores need comparatively many matches to stabilize. (ca. 20)
- properties:
  - chronological order of updates is important: Good for long intervals between measurements, but bad performance for tournaments, where a players skill presumably stays constant.
  - ELO system does not allow for conclusions about individual performance in team games.
  - restricted representation of results. No differentiated treatment of events with a ranking for result (e.g. motor racing, ...).


# True Skill

## factor graphs

bi-partite graph with factor nodes and variable nodes.


- variable nodes: describe distribution functions
- factor nodes: model the interaction of variables
- edges: description of variables interacting for a factor

**example:** Factor Graph for ELO System



- **True Skill:** extension of ELO Systems used for XBOX360 Live (e.g. HALO2 ranking)
- **considers:**
  - skill uncertainty
  - allows conclusions for team-members in team games (additive performance  $t_1$ )
  - result presentation as order of play results ( $t_1 \geq t_2 \geq \dots \geq t_m$ )

## Factor graph for True Skill



**Example:** 4 Players, 3 Teams:  $\{(s_1), (s_2, s_3), (s_4)\}$

Result:  $t_1 > \varepsilon + t_2$ ,  $t_1 > \varepsilon + t_3$ ,  $\varepsilon > |t_2 - t_3|$

# Factor Graph use for True Skill


---

- factor graph represents the distribution for  $Pr(s, p, t | r, A)$ 
  - **r**: ranking result, **A**: team composition
  - **s**: player skill, **p**: player performance, **t**: team rating
- compute the distribution of player skill  $s$  conditional to the observations  $r$  and  $A$ :
$$Pr(s | r, A) = \int_{-\infty}^{\infty} \cdots \int_{-\infty}^{\infty} Pr(s, p, t | r, A) dp dt$$

$s_i$  is normal distributed with mean value  $\mu_i$  and standard deviation  $\sigma_i$
- With the given factor graph and the current values of  $\mu$  and  $\sigma$  for the participating players  $\Pi(d_1 > \varepsilon)$  and  $\Pi(|d_2| \leq \varepsilon)$  can be estimated.
- Comparing the prediction with the actual result, one can propagate the error back to  $\mu$  and  $\sigma$  and adapt the model accordingly.
- Propagating probabilities and parameter updates on a factor graph are also called message-passing or belief propagation.



# Training scheme for True Skill



- Forward propagation:** estimate the results
- Update of Team-performance:** Redistribution of results to teams
- Update of a-posteriori Distributions:** Propagates Update-Messages as far as Parameters  $\mu$  and  $\sigma$ .

# Discussion True Skill

---

- Improves the ELO Systems by:
  - Expansion of result representation
  - Converges faster using a priori distributions for particular players
  - Team Assessment
- Disadvantages of True Skill:
  - Chronological Order is important, even though one can assume that skill does not change between two matches. (Expansion: True Skill Trough Time 2008)
  - team skill is considered as the sum of player skills  
(In reality player synergy is much more complicated:  
11 Messis  $\neq$  world's best soccer team)

# Team Skill

---

**idea:** Considering not only individual play level, but also team chemistry.

=> Viewing a player's joint performance compared to his single performance.

=> Some player's performance increases when combined with specific players.

**given:** A Team  $T = \{p_1, \dots, p_K\}$  with  $K$  players. Let  $t_k$  be a sub-team of  $T$  with  $k$ -elements. ( $t_k \subseteq T \wedge |t_k| = k$ ).  $Skill(t_k)$  constitutes sub-team's  $t_k$  skill level (for example calculated with ELO or True-Skill)

**task:** Skill level of team  $T$  considering team chemistry?

**approach:** Calculating average over determined sub-team ranking.

# Team Skill-k

- average play level of a sub team of k size scaled to K

$$TS_k(T) = K \cdot \frac{1}{k} \cdot \frac{1}{\binom{K}{k}} \cdot \sum_{i=1}^{\binom{K}{k}} Skill(s_{ki}) = \frac{(k-1)!(K-k)!}{(K-1)!} \cdot \sum_{i=1}^{\binom{K}{k}} Skill(s_{ki})$$

example:

k=1 and K=5

$$TS_k(T) = \frac{5}{1} \cdot \frac{1}{\binom{5}{1}} \cdot \sum_{i=1}^{\binom{5}{1}} Skill(s_{1i}) = \sum_{i=1}^5 Skill(s_{1i})$$

k=2 and K=5

$$TS_k(T) = \frac{5}{2} \cdot \frac{1}{\binom{5}{2}} \cdot \sum_{i=1}^{\binom{5}{2}} Skill(s_{2i}) = \frac{1}{4} \sum_{i=1}^{10} Skill(s_{2i})$$

# Team Skill-AIHK-LS

---

Means of improvement towards Team Skill  $k$ :

- Determining  $k$  is hard  $\Rightarrow$  take all possible sub-teams.
- Seperate results do not exist for all sub-teams  
 $\Rightarrow$  Only consider sub-teams with a reliable ranking.


**Idea:** Consider all sub-team with a reliable estimate and which are not sub set of a reliably estimated sub-team.

**Approach:** Determine all relevant sub-teams  $t_{k,i}^*$  whose  $Skill(t_{k,i})$  can be determined and for which no sub-team  $t_{k+l,j} \supset t_{k,i}$  exists.

Calculate team performance as a  $k$ -multiple of average single performance.

$$TS_{ALL-LS}(T) = \frac{K}{\sum_{m \in \{m | \exists t_m^* \neq \{\}\}} |m|} \left( \sum_{m \in \{m | \exists t_m^* \neq \{\}\}} \left( \frac{1}{l} \cdot \sum_{i=1}^l Skill(t_{m,i}^*) \right) \right)$$

# Example: Team Skill ALL-LS



rot: pruned Area, blau: used sub-teams, grey: pruned sub-teams.

$$TS_{ALL-LS}(T) = \frac{4}{3+2} \left( Skill(t_{BCD}) + \frac{1}{2} (Skill(t_{AC}) + Skill(t_{AD})) \right)$$

# Conclusion

---

- method for capturing increased success of teams with good chemistry.
- team skill depends on data of as many different team compositions as possible
- approaches for improvement:
  - roles within the team are not required explicitly
  - confidence of the underlying skill estimation is not treated
  - correlation between team skill and player skill is assumed to be uniform
- Skill in Team Skill, True Skill and ELO symmetrically values win and loss.  
=> in many casual games an win award more increase to player score than losses reduces the skill level (keep players motivated to play)

# Alternative Approach

---

- Rating players not by success, but by his behavior matching a successful player's behavior:
  1. collect and describe spatial-temporal behavior over the full spectrum of Skill.
  2. learn a regression model.
  3. rate player, while playing, for his  $k$  last actions.
- this approach is used for dynamic play level adjustment in PVE.
- very suitable if it is known what constitutes successful behavior in the game. (e.g. accuracy in FPS Games, DPS/HPS Numbers in MMORPGS)



# Network Analysis in Games

---

- Many MMO-games include analyzable social structures:  
*Who plays with whom and for how long?*
- modeling team-strategies
- response profile to an opponent's actions
- finding criminal associations (e.g. gold-farmer trusts)
- tools to create pick-up groups

# Learning goals

---

- Scope of application for player ranking and matchmaking
- ELO
- True Skill
- Team Skill

# Literature

---

- A.E. Elo: **The Rating of chess players: Past and present**, Arco Publishing, New York, 1978.
- Pierre Dangauthier, Ralf Herbrich, Tom Minka, Thore Graepel  
**TrueSkill Through Time: Revisiting the History of Chess**,  
In Advances in Neural Information Processing Systems 20 (NIPS), 2008.
- Ralf Herbrich, Tom Minka, and Thore Graepel, **TrueSkill(TM): A Bayesian Skill Rating System**, in Advances in Neural Information Processing Systems 20 , MIT Press, January 2007.
- Colin DeLong, Nishith Pathak, Kendrick Erickson, Eric Perrino, Kyong Shim, Jaideep Srivastava: **TeamSkill: Modeling team chemistry in online multi-player games**, on Proc. of the 15th Pacific-Asia Conference on Advances in Knowledge Discovery and Data Mining (PAKDD2011), 2011.