

Managing Massive Multiplayer Online Games
 SoSe 2018

Exercise Sheet 1: Modelling of Time

Discussion: April 18rd, 2017

Exercise 1-1 *Time*

In the following regard an abstract game where the goal of two players $\{S_1, S_2\}$ is to collect as many coins $\{m_1, \dots, m_9\}$ as possible. Each coin can only be collected once- if two players want to collect the same coin at the same time, the coin is divided and the score of both players increases by half a coin. Winner is who has the most coins eventually.

We assume a client-server architecture where a player S_i sends an action request of the form $Collect(m_j, t, t')$ via his client to the server. m_j is the ID of the coin which player S_i wants to collect. t represents the time when the client sent his request and t' represents the time when the request arrives at the server.

Now regard an instance of this game in which the following action requests are sent.

Player S_1		
Coin	Time (Client)	Time (Server)
m_1	1	4
m_2	2	3
m_3	3	4
m_4	4	6
m_5	5	8
m_6	6	7
m_7	7	8
m_8	8	10
m_9	9	11

Player S_2		
Coin	Time (Client)	Time (Server)
m_1	1	8
m_4	1	7
m_3	2	10
m_2	2	9
m_8	2	9
m_7	3	10
m_9	3	11
m_5	4	10
m_6	4	13

How many coins do the players have at the end of the game with the following models of time:

- (a) Turn-based (alternately): Before a player can perform an action he has to wait until the other player has finished his action. Player S_1 begins. If a player wants to pick up a coin which does not exist any more it is his move again.
- (b) Turn-based (simultaneously): In each round pairs of players' actions are performed simultaneously. Players have to wait for the other players' actions.
- (c) Soft-Real-time (Server-sided): Action requests are executed immediately when they arrive at the server. If a coin should be picked up which does not exist any more, the request is discarded.
- (d) Soft-Real-time (Client-sided): Action requests are collected by the server and then executed in the order in which they were sent by the clients. If a coin should be picked up which does not exist any more, the request is discarded.

Discuss the advantages and disadvantages of these models!